



ALLIGATOR

Tyres That Goes Miles & Smiles With You



Tyres That Goes Miles & Smiles With You

**MADE IN
INDIA**



**OTR | TRUCK & BUS | LCV | FORKLIFT | IMPLEMENT | TRACTOR | TWO-THREE WHEELER
BIAS/NYLON TYRES**

COMPLETE RANGE OF BUTYL TUBES

OUR COMPANY

Striking International is one of the leading manufacturers and exporters of a wide range of Tyres & Tubes under the brand name "**ALLIGATOR**" and "**MILLER**". Under the leadership of Mr. Gurender Dhand & Mr. Narinder Kumar (Company Directors), the group is expanding with a steady and stable annual growth rate Year after Year. Furthermore, its products and services have won accolades from the patrons in markets of South-Central America, Mediterranean Europe, Middle-East, East Asia & AFRICA and other parts of world.

Striking International continually expands its production base and now offers a comprehensive product range exceeding 900 SKUs. Our products are sold in more than 73 countries across the globe. Our unwavering passion has solidified our reputation as a leading manufacturer and exporter of agricultural, industrial, Commercial, 2 & 3 Wheeler, and off-road tires (Complete Range of BIAS & NYLON Tyres). Striking International is Manufacturing Premium Quality Butyl Tubes for Complete Range also.



STRIKING Group tire manufacturing facilities are located in Gujarat, Ghaziabad & Ludhiana equipped with state-of-the-art machinery operated by highly qualified personnel. In line with our philosophy, we believe in placing the right people in the right positions to implement world-class production techniques, resulting in the production of high-quality products. Today, ALLIGATOR Brand is recognized as one the leading Manufacturer & Exporter from India.

As our manufacturing facilities maintain the highest Quality standards, with strict in time control checks along with ensuring superior quality Products for our valuable Clients across 5 continents. Striking Group is equipped with all the tires ranges are in-compliance to various quality standards viz. CCC, ISO, E-MARK, DOT, SNI and SON.





SI 401

						Maximum Load	Cold Inflation Pressure	
Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Single	Single	
						(Kgs)	(PSI)	(Kpa)
8.3-24	Farm	6	211	995	26	810	34	230
9.5-24	Farm	8	230	1055	26	1120	41	280
11.2-24	Farm	8	232	1056	27	1550	36	248
12.4-24	Farm	12	335	1155	28	1820	50	350
13.6-24	Farm	12	345	1209	36	1900	42	209
14.9-24	Farm	12	375	1265	26	2000	38	260
16.9-28	Farm	12	430	1420	31	2240	30	207
16.9-30	Farm	14	450	1495	38	3150	52	360
18.4-30	Farm	14	470	1565	38	3450	37	260
23.1-30	Farm	14	590	1710	43	4250	29	200
16.9-34	Farm	12	429	1585	29	2500	32	220
18.4-34	Farm	14	462	1635	28	3750	38	260
11.2-38	Farm	12	285	1250	29	1285	26	180
13.6-38	Farm	12	345	1565	37	2430	44	300
15.5-38	Farm	8	385	1620	38	2060	26	180
18.4-38	Farm	14	470	1762	37	3837	36	248
20.8-38	Farm	14	532	1852	36	4500	35	241




SI 401 (HD)

						Maximum Load	Cold Inflation Pressure	
Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Single	Single	
						(Kgs)	(PSI)	(Kpa)
12.4-28	Farm	12	322	1280	38	1650	36	250
13.6-28	Farm	12	345	1310	36	1800	33	230
14.9-28	Farm	12	378	1365	36	2120	33	230
18.4-30	Farm	14	470	1565	38	3450	37	260
16.9-28	Farm	14	450	1495	38	3150	52	360



SI 401 (ST)

						Maximum Load	Cold Inflation Pressure	
Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Single	Single	
						(Kgs)	(PSI)	(Kpa)
4.00-8	Farm	6	114	411	16	1250	40	275
6.00-12	Farm	8	155	633	17	1800	58	400
7.00-12	Farm	8	200	667	16	1500	52	360



SI 401 (ND)

						Maximum Load	Cold Inflation Pressure	
Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Single	Single	
						(Kgs)	(PSI)	(Kpa)
11.2-24	Farm	8	284	1090	25	1250	35	240
14.9-24	Farm	8	375	1245	26	1800	26	180
11.2-38	Farm	8	284	1445	26	1500	33	230



S.I.

Running to Lead...

STRIKING INTERNATIONAL

H.O. : SCO 1-2, Above PNB, G.T. Road, Sahnewal-141120, Punjab, INDIA

Tel. : +91 96463 34321 • Fax : +91 161 2847321

E-mail : dhand.gurender@live.com, info@alligatortyres.com

Website : www.alligatortyres.com