



ALLIGATOR

Tyres That Goes Miles & Smiles With You



Tyres That Goes Miles & Smiles With You

MADE IN
INDIA



OTR | TRUCK & BUS | LCV | FORKLIFT | IMPLEMENT | TRACTOR | TWO-THREE WHEELER
BIAS/NYLON TYRES COMPLETE RANGE OF BUTYL TUBES

OUR COMPANY

Striking International is one of the leading manufacturers and exporters of a wide range of Tyres & Tubes under the brand name "**ALLIGATOR**" and "**MILLER**". Under the leadership of Mr. Gurender Dhand & Mr. Narinder Kumar (Company Directors), the group is expanding with a steady and stable annual growth rate Year after Year. Furthermore, its products and services have won accolades from the patrons in markets of South-Central America, Mediterranean Europe, Middle-East, East Asia & AFRICA and other parts of world.

Striking International continually expands its production base and now offers a comprehensive product range exceeding 900 SKUs. Our products are sold in more than 73 countries across the globe. Our unwavering passion has solidified our reputation as a leading manufacturer and exporter of agricultural, industrial, Commercial, 2 & 3 Wheeler, and off-road tires (Complete Range of BIAS & NYLON Tyres). Striking International is Manufacturing Premium Quality Butyl Tubes for Complete Range also.



STRIKING Group tire manufacturing facilities are located in Gujarat, Ghaziabad & Ludhiana equipped with state-of-the-art machinery operated by highly qualified personnel. In line with our philosophy, we believe in placing the right people in the right positions to implement world-class production techniques, resulting in the production of high-quality products. Today, ALLIGATOR Brand is recognized as one the leading Manufacturer & Exporter from India.

As our manufacturing facilities maintain the highest Quality standards, with strict in time control checks along with ensuring superior quality Products for our valuable Clients across 5 continents. Striking Group is equipped with all the tires ranges are in-compliance to various quality standards viz. CCC, ISO, E-MARK, DOT, SNI and SON.



ALLIGATOR BRAND

Complete List of Butyl Tubes

Sr.No.	SIZE	Valve Code	Wt (kg)	Pc/carton
7" - 9" Rim Sizes				
1	3.50-8 Exp	V1-08-3	0.250	50
2	3.50-8 Reg	V1-08-3	0.290	50
3	3.50-8 HD	V1-08-3	0.330	40
4	4.00-8 Reg	V1-08-3	0.400	40
5	4.00-8	TR13	0.400	40
6	4.00-8	TR87	0.400	40
7	4.00-8 Exp	V1-08-3	0.370	40
8	5.00-8	V1-08-3	0.450	40
9	5.00-8	JS2	0.450	40
10	5.00-8 HD	JS2	0.650	
11	18x8.5-8	JS2	0.800	24
12	18X7-8	JS2	0.800	24
13	6.00-9	JS2	0.800	24
14	21X8-9	JS2	0.800	15
10" Rim Sizes				
15	23X9-10	JS2	1.000	20
16	90/100-10	V1-08-1	0.400	40
17	3.50-10 Exp	V1-08-1	0.350	40
18	3.50/90/100-10 Reg	V1-08-1	0.400	40
19	3.50/90/100-10 HD	V1-08-1	0.440	40
20	2.50/2.75/3.00/90/90-10	V1-08-1	0.290	55
21	3.75/4.00-10	TR13	0.470	35
22	100/90-10, 110/90-10	TR13	0.470	35
23	4.50/5.00-10	TR13	0.600	35
24	6.00-10	TR 13	1.000	15
25	6.50-10	JS2	1.000	15
26	7.00/750-10	JS2	1.000	15
27	120/70-10	V1-08-1	0.470	35
12" Rim Sizes				
28	2.50/2.75/3.00-12	TR13/V108-1	0.370	45
29	3.25/3.50-12	TR13/V108-1	0.420	45
30	100/90-12	TR13/V108-1	0.420	45
31	3.75/4.00-12	TR13/V108-1	0.430	45
32	125-12, 135/70-12	TR13	0.550	35
33	4.50/5.65-12, 5.00-12 (ER12), 145/70R12	TR13	0.600	32
34	5.00-12	TR 13	0.600	32
35	6.00-12	TR 13	0.700	25
36	6.00-12	JS2	0.700	25
37	7.00-12	TR75A	1.200	20
38	7.00-12	JS2	1.200	20
39	90/90-12	V1-08-1	0.370	50
40	80/100-12	V1-08-1	0.370	50
41	110/80-12	V1-08-1	0.490	50
42	165/155/80 D12	TR13	0.720	25
43	145/70/145/80 R12 (FR12)	TR13	0.620	25
13" Rim Sizes				
44	145/155/70 R13 SV (ER13)	TR13	0.680	30
45	145/155/70 R13 LV	TR13E	0.680	25
46	155/165/70-13 Exp	TR13E	0.650	30
47	5.60-13	TR13E	0.650	30
48	165/65 R13 (FR13), 165/80R13	TR13E	0.800	24
14" Rim Sizes				
49	155/165/65R14	TR13	0.800	24
50	165/175/65 R14 SV, 165/80/165/70R14	TR13	0.900	26
51	165/175/65 R14 LV, 165/80/165/70R14	TR13E	0.900	26

ALLIGATOR BRAND

Complete List of Butyl Tubes

Sr.No.	SIZE	Valve Code	Wt (kg)	Pc/carton
52	165/80R14	TR13E	0.900	26
53	175/185/70R14	TR13	1.000	26
54	185/195/70 R14 (KR14/GR14/FR14)	TR13	1.100	1821
55	2.25/2.50-14, 60/100-14, 90/100-14	TR29/TR4	0.295	50
56	2.75/3.00-14	TR29/TR4	0.370	50
57	3.50/3.60/3.75-14	TR29/TR4	0.470	40
58	4.10-14	TR29/TR4	0.470	40
59	5.20/5.60-14	TR13	0.820	20
60	6.00/6.50-14	TR13	1.000	20
15", 15.3", 15.5" Rim Sizes				
61	130/90-15	TR29/TR4	0.730	32
62	150/70-15	TR29/TR4	0.730	32
63	175/185/65 R15 (GR15, FR15)	TR13	1.100	20
64	195/80/205/65 R15 (FR15/KR15)	TR13	1.150	23
65	205/65/215/75 R15 (MR15)	TR13	1.250	20
66	215/75R15 HD	TR13	1.500	13
67	235/75 R15	TR13	1.400	16
68	2.50/3.00-15	TR75A/1582	1.700	12
69	28x9-15	TR75A/1582	1.700	12
70	6.70/7.00-15 SV (TR13)	TR13	1.300	15
71	6.70/7.00-15 SV (TR13E)	TR13E	1.300	15
72	6.70/7.00-15 SV (TR15)	TR-15	1.300	15
73	6.70/7.00-15 LV	TR76A	1.300	15
74	7.00R15 HD SV (TR13)	TR-13	1.500	15
75	7.00R15 HD LV (TR76A)	TR-76A	1.500	15
76	8.15/8.25-15	TR 75A	1.400	12
77	9.00/10.00-15, 10.00-15.5, 300/60-15	TR218	2.300	10
78	F.78-15 (KR15/FR15)	TR13	1.100	18
79	5.90/6.40-15	TR13	1.000	18
80	F-78-15 HD, H78-15	TR13	1.300	15
81	195/D15	TR13	1.300	23
82	10.5/75-15.3, 11.5/80-15.3	TR15	2.300	10
83	12.5/80-15.3	TR15	2.300	10
84	14.L-15	TR218	3.100	7
85	400/60-15.5	TR218	3.100	7
16" Rim Sizes				
86	120/130/80-16	TR29/TR4	0.630	30
87	185/85 R16	TR-15	1.400	15
88	205/60R16, 215/65R16 (KR16), 195/55R16	TR13E	1.400	20
89	235/70R16, 245/255/70R16 (KR16)	TR13E	1.500	16
90	2.25/2.50-16, 60/100-16	TR29/TR4	0.350	65
91	2.75/3.00-16, 80/90-16, 90/90-16	TR29/TR4	0.470	
92	3.25/3.50-16	TR29/TR4	0.470	45
93	100/90-16, 90/100-16, 110/90-16	TR29/TR4	0.470	45
94	3.50/4.00-16	TR29/TR4	0.530	45
95	130/90-16	TR29/TR4	0.530	45
96	150/80-16	TR-15	0.950	22
97	6.00-16 / 6.50-16	TR-15	1.050	20
98	6.00-16 / 6.50-16	TR75A	1.050	20
99	7.00/7.50-16 SV	TR-15	1.400	15
100	7.00/7.50-16 LV	TR75A/TR77/TR177	1.400	15
101	7.50/8.25-16 SV	TR-15	1.750	12
102	7.50/8.25-16 LV	TR75A/TR77/TR177	1.750	12
103	9.00-15	TR 75	2.100	12
104	9.00-15	TR 15	2.100	12
105	9.00-16 Exp	TR77/1582	1.900	10

ALLIGATOR BRAND

Complete List of Butyl Tubes

Sr.No.	SIZE	Valve Code	Wt (kg)	Pc/carton
106	9.00-16	TR77/1582	2.300	12
107	9.50/10.00/10.50-16	TR15	2.300	10
108	1000-16	TR218	2.300	10
109	10.50-16	TR 15	2.300	10
110	11.L-16	TR15	2.300	10
17", 17.5" Rim Sizes				
112	2.00/2.25/2.50-17	TR29/TR4	0.350	50
113	60/100-17, 70/100-17	TR29/TR4	0.350	50
114	2.75/3.00-17 Exp	TR29/TR4	0.440	50
115	2.75/3.00-17 Reg	TR29/TR4	0.460	45
116	3.25/3.50-17	TR29/TR4	0.530	40
117	4.00/4.25/4.50-17	TR29/TR4	0.670	30
118	4.50/5.00/5.10-17	TR29/TR4	0.750	30
119	100/90-17, 110/90-17, 90/90-17, 100/80-17	TR29/TR4	0.560	40
120	120-130/80-17,140/70-17, 140/100-17	TR29/TR4	0.670	30
121	225/235/265/65R17, 215/60-17	TR13E	1.700	16
122	235/75R17.5	TR13E	1.700	16
18" Rim Sizes				
123	2.25/2.50-18	TR29/TR4	0.390	50
124	2.75/3.00-18 Exp	TR29/TR4	0.450	50
125	2.75/3.00-18 Reg 1	TR29/TR4	0.480	45
126	2.75/3.00-18 Reg 2	TR29/TR4	0.500	45
127	3.00-18 HD	TR29/TR4	0.525	45
128	3.00/3.25-18	TR29/TR4	0.525	45
129	3.25/3.50-18, 80/100-18, 4.00/4.10-18	TR29/TR4	0.550	40
130	3.50/4.00-18	TR29/TR4	0.600	35
131	4.00/4.25/4.50/4.60-18	TR29/TR4	0.700	23
132	4.50/5.00/5.10-18	TR29/TR4	0.770	23
133	7.50-18	TR-15	1.500	14
134	8.00-18	TR-218	1.500	14
135	12.5/80-18, 10.5/80-18	TR218	2.600	8
136	12.5/80-18, 10.5/80-18	TR15	2.600	8
137	80/100-18	TR29/TR4	0.560	40
138	100/90-18, 90/90-18, 110/90-18	TR29/TR4	0.590	40
139	120-130/80-18,140/70-18, 100/110/100-18, 140/80-18	TR29/TR4	0.700	23
19" Rim Sizes				
140	235/75R19	TR13E	1.950	10
141	2.75/3.00/3.25-19	TR29/TR4	0.525	45
142	80/90-19, 90/90-19	TR29/TR4	0.525	45
143	3.00/3.25-19	TR29/TR4	0.550	45
144	3.50-19	TR29/TR4	0.550	40
145	3.50/3.75/4.00-19	TR29/TR4	0.600	35
146	110/90/80-19, 100/90/80-19	TR29/TR4	0.600	35
147	4.00/4.50-19	TR29/TR4	0.800	
148	120/130/80/90-19	TR29/TR4	0.800	
149	5.00-19	TR-14	1.000	22
150	6.00-19	TR-14	1.200	18
151	7.00-19	TR-14	1.600	12
152	8.00-19	TR-14	1.600	12
153	100/110/90-19	TR29/TR4	0.600	35
20" Rim Sizes				
154	6.50-20, 6.70-20	TR-15	1.900	15
155	7.00-20	TR 75A	1.900	12
156	7.50-20	TR175A	1.900	12
157	8.00/8.3-20	TR-218	2.300	10
158	8.25-20 Exp	TR175A	1.900	12

ALLIGATOR BRAND

Complete List of Butyl Tubes

Sr.No.	SIZE	Valve Code	Wt (kg)	Pc/carton
159	8.25-20 Reg	TR-175	2.300	10
160	9.00-20 Exp 2	TR-175	2.500	10
161	9.00-20 Reg	TR-175	2.900	7
162	9.00R20	TR-175	3.100	7
163	9.5-20	TR-218	2.900	7
164	10.00-20 Exp1	TR-175	2.700	10
165	10.00-20 Exp2	TR-78	2.900	8
166	10.00-20 Reg	TR-78	3.200	7
167	10.00R20 Reg	TR-78	3.500	7
168	10.00R20 HD	TR-78	3.750	5
169	10.00R20 (Super Heavy Duty)	TR-78	4.000	5
170	10.5/80-20	TR-218	3.500	5
171	11.00-20 Exp	TR-78A	3.500	7
172	11.00-20 Reg	TR-78A	3.750	5
173	11.2-20	TR-218	3.750	5
174	12.00-20 Exp	TR-78A/TR179	3.500	5
175	12.00-20 Reg	TR-78A	4.000	5
176	12.5/80-20	TR-218	4.050	5
177	13.00-20	TR 179A	4.000	4
178	14.00-20 Exp	TR 78A	4.300	3
179	14.00-20 , 355/90-20	TR 78A	4.800	3
180	14.0/70-20	TR218	4.650	3
181	14.5-20	TR218	4.650	3
182	405/70-20	TR218	4.650	3
183	16.00-20	TRJ1175C	6.250	3
184	16.0/70-20	TR218	4.650	3
185	295/90D20	TR-78A	3.750	5
186	295/95R20	TR-78A	3.750	5
21", 22", 22.5" Rim Sizes				
187	80/100-21, 90/90-21, 100/80-21	TR29/TR4	0.600	30
188	2.50/2.75/3.00/3.25-21	TR29/TR4	0.600	30
189	9.5-22	TR-218	3.050	6
190	11.00-22 / 11.00R22.5	TR-78A	4.000	5
191	12.00-22	TR 78A	4.000	5
192	295/80R22.5	TR-78A	4.000	5
24", 25", 26" Rim Sizes				
193	9.5-24 / 8.3-24/ 10.00-24	TR-218	2.700	7
194	11.2-24	TR-218	3.100	7
195	12.4-24	TR-218	3.500	6
196	12.00-24	V30605	3.800	5
197	12.00-24/25	TR 78A	3.800	4
198	13.00-24/25	TR 179A	4.500	4
199	13.6/14.9-26	TR-218	4.500	4
200	14.00-24/25	TRJ1175C	6.000	3
201	14.00-24/25	TR218A	3.800	3
202	14.00-24/25	TR179	6.000	3
203	14.9-24 Reg	TR-218	3.800	5
204	14.9-24 HD	TR-218	4.000	5
205	15.5-25	TRJ1175C	7.500	3
206	16.9-24	TR-218	5.600	3
207	16.00-24/25	TRJ1175C	7.500	3
208	17.5-25 Exp	TRJ1175C	7.500	3
209	17.5-25 Reg	TRJ1175C	8.000	2
210	18.5-25	TRJ1175C	9.800	2
211	18.00-24/25	TR 218A	8.300	2
212	18.00-24/25 Reg	TRJ1175C	9.800	2

ALLIGATOR BRAND

Complete List of Butyl Tubes

Sr.No.	SIZE	Valve Code	Wt (kg)	Pc/carton
213	18.00-24/25 HD	TRJ1175C	10.800	2
214	19L-24	TR 218A	8.300	2
215	19.5-25	TR 218A	8.300	2
216	20.5-25, 21.5-25 Exp	TRJ1175C	9.800	2
217	20.5-25, 21.5-25 Reg	TRJ1175C	10.800	2
218	23.5-25	TRJ1175C	13.000	2
219	25.5-25	TRJ1175C	13.000	2
220	26.5-25	TRJ1175C	13.500	1
221	29.5-25	TRJ1175C	14.000	2
222	18.4-26	TR 218A	8.300	2
223	23.1-26	TR 218A	12.800	1
28", 29", 30" Rim Sizes				
224	11.2/10-28	TR 218A	4.000	5
225	12.4/11.2-28	TR 218A	4.000	5
226	12.4-28/13.6-28	TR 218A	4.600	4
227	14.9-28 Exp	TR 218A	5.000	4
228	14.9-28 Reg	TR 218A	5.500	4
229	16.9-28 Reg	TR 218A	6.700	3
230	29.5-29	TRJ1175C	14.500	2
231	14.9/13-30	TR 218A	6.700	4
232	16.9/14-30	TR 218A	7.100	4
233	18.4-30, 15-30	TR 218A	7.600	4
32" - 44" Rim Sizes				
234	8.3-32, 9.5-32	TR 218A	3.800	7
235	11.2-32	TR 218A	4.000	6
236	14.9/15.5-34	TR 218A	6.000	4
237	16.9-34	TR 218A	7.500	3
238	18.4-34	TR 218A	11.000	2
239	9.5-36	TR 218A	4.100	5
240	11.2/12.4-36	TR 218A	5.700	4
241	12.4/13.6-36	TR 218A	5.700	4
242	11.2/12.4-38	TR 218A	6.000	4
243	12.4/13.6-38	TR 218A	6.000	4
244	13.6/14.9-38	TR 218A	6.000	4
245	14.9/15.5-38	TR 218A	6.000	4
246	16.9-38	TR 218A	7.500	2
247	18.4-38	TR 218A	11.000	2
248	20.8-38	TR 218A	11.000	2
249	9.5-44	TR 218A	4.800	5
250	9.5-48	TR 218A	4.800	5

Made in India (Premium Quality)

Note:-

1. All Commercial Tubes are with wrapping.
2. The Above Prices are valid for FOB INDIA Basis .
3. Payment terms are 30% Advance and Balance against Documents after shippment.
4. Quality is assured with best standards.(PREMIUM)
5. All products will be always as per International Standards & with Date of Manufacturing



S.I.

Running to Lead...

STRIKING INTERNATIONAL

H.O. : SCO 1-2, Above PNB, G.T. Road, Sahnewal-141120, Punjab, INDIA

Tel. : +91 96463 34321 • Fax : +91 161 2847321

E-mail : dhand.gurender@live.com, info@alligatortyres.com

Website : www.alligatortyres.com