



ALLIGATOR

Tyres That Goes Miles & Smiles With You



Tyres That Goes Miles & Smiles With You

MADE IN
INDIA



OTR | TRUCK & BUS | LCV | FORKLIFT | IMPLEMENT | TRACTOR | TWO-THREE WHEELER
BIAS/NYLON TYRES COMPLETE RANGE OF BUTYL TUBES

OUR COMPANY

Striking International is one of the leading manufacturers and exporters of a wide range of Tyres & Tubes under the brand name "**ALLIGATOR**" and "**MILLER**". Under the leadership of Mr. Gurender Dhand & Mr. Narinder Kumar (Company Directors), the group is expanding with a steady and stable annual growth rate Year after Year. Furthermore, its products and services have won accolades from the patrons in markets of South-Central America, Mediterranean Europe, Middle-East, East Asia & AFRICA and other parts of world.

Striking International continually expands its production base and now offers a comprehensive product range exceeding 900 SKUs. Our products are sold in more than 73 countries across the globe. Our unwavering passion has solidified our reputation as a leading manufacturer and exporter of agricultural, industrial, Commercial, 2 & 3 Wheeler, and off-road tires (Complete Range of BIAS & NYLON Tyres). Striking International is Manufacturing Premium Quality Butyl Tubes for Complete Range also.



STRIKING Group tire manufacturing facilities are located in Gujarat, Ghaziabad & Ludhiana equipped with state-of-the-art machinery operated by highly qualified personnel. In line with our philosophy, we believe in placing the right people in the right positions to implement world-class production techniques, resulting in the production of high-quality products. Today, ALLIGATOR Brand is recognized as one the leading Manufacturer & Exporter from India.

As our manufacturing facilities maintain the highest Quality standards, with strict in time control checks along with ensuring superior quality Products for our valuable Clients across 5 continents. Striking Group is equipped with all the tires ranges are in-compliance to various quality standards viz. CCC, ISO, E-MARK, DOT, SNI and SON.





SI 211

Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	at 15 kmph / 10 mph			at 10 kmph / 5 mph		
						Maximum Load (Kgs)	Inflation Pressure (psi)	Inflation Pressure (bar)	Maximum Load (Kgs)	Inflation Pressure (psi)	Inflation Pressure (bar)
5.00-8	Fork Lift	8	143	476	11	1090	145	10	1420	145	10
6.009	Fork Lift	10	173	551	13	1332	123	8.5	1730	123	8.5
6.50-10	Fork Lift	12	180	590	14	2145	130	9	1650	130	9
7.00-12	Fork Lift	12	194	685	15.5	2060	123	8.5	2680	123	8.5
8.15-15	Fork Lift	14	200	725	16.5	3373	140	9.6	2595	140	9.6
8.25-15	Fork Lift	14	235	850	17	4225	116	8	3250	116	8

SI 212

Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	at 15 kmph / 10 mph			at 10 kmph / 5 mph		
						Maximum Load (Kgs)	Inflation Pressure (psi)	Inflation Pressure (bar)	Maximum Load (Kgs)	Inflation Pressure (psi)	Inflation Pressure (bar)
6.50-10	Fork Lift	12	185	590	11	2145	130	9	1650	130	9
7.00-12	Fork Lift	12	194	685	11	2060	123	8.5	2680	123	8.5





S.I.

Running to Lead...

STRIKING INTERNATIONAL

H.O. : SCO 1-2, Above PNB, G.T. Road, Sahnewal-141120, Punjab, INDIA

Tel. : +91 96463 34321 • Fax : +91 161 2847321

E-mail : dhand.gurender@live.com, info@alligatortyres.com

Website : www.alligatortyres.com