



ALLIGATOR

Tyres That Goes Miles & Smiles With You



Tyres That Goes Miles & Smiles With You

**MADE IN
INDIA**



**OTR | TRUCK & BUS | LCV | FORKLIFT | IMPLEMENT | TRACTOR | TWO-THREE WHEELER
BIAS/NYLON TYRES**

COMPLETE RANGE OF BUTYL TUBES

OUR COMPANY

Striking International is one of the leading manufacturers and exporters of a wide range of Tyres & Tubes under the brand name "**ALLIGATOR**" and "**MILLER**". Under the leadership of Mr. Gurender Dhand & Mr. Narinder Kumar (Company Directors), the group is expanding with a steady and stable annual growth rate Year after Year. Furthermore, its products and services have won accolades from the patrons in markets of South-Central America, Mediterranean Europe, Middle-East, East Asia & AFRICA and other parts of world.

Striking International continually expands its production base and now offers a comprehensive product range exceeding 900 SKUs. Our products are sold in more than 73 countries across the globe. Our unwavering passion has solidified our reputation as a leading manufacturer and exporter of agricultural, industrial, Commercial, 2 & 3 Wheeler, and off-road tires (Complete Range of BIAS & NYLON Tyres). Striking International is Manufacturing Premium Quality Butyl Tubes for Complete Range also.



STRIKING Group tire manufacturing facilities are located in Gujarat, Ghaziabad & Ludhiana equipped with state-of-the-art machinery operated by highly qualified personnel. In line with our philosophy, we believe in placing the right people in the right positions to implement world-class production techniques, resulting in the production of high-quality products. Today, ALLIGATOR Brand is recognized as one the leading Manufacturer & Exporter from India.

As our manufacturing facilities maintain the highest Quality standards, with strict in time control checks along with ensuring superior quality Products for our valuable Clients across 5 continents. Striking Group is equipped with all the tires ranges are in-compliance to various quality standards viz. CCC, ISO, E-MARK, DOT, SNI and SON.





SI 454

						Maximum Load	Cold Inflation Pressure	
Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Single	Single	
						(Kgs)	(PSI)	(Kpa)
6.00-16	Implement	8	165	735	16	615	68	470
7.50-16	Implement	8	207	810	17	775	56	385
9.00-16	Implement	10	265	880	28	1215	55	380
10.00-16	Implement	10	275	890	28	1215	55	380
11.0-16	Implement	10	310	970	28	1360	51	350



SI 487

						Maximum Load	Cold Inflation Pressure	
Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Single	Single	
						(Kgs)	(PSI)	(Kpa)
10/80-12	Implement	10	264	700	11	1450	56	390
10.0/75-15.3	Implement	12	264	760	11	1700	68	470
11.5/80-15.3	Implement	12	290	845	11	2180	59	410
12.5/80-15.3	Implement	14	310	885	11	2650	62	430
10.5/65-16	Implement	14	274	755	8	1900	77	530
10.5/80-18	Implement	14	275	885	8	2360	74	510
12.5/80-18	Implement	12	308	965	8	2650	54	370



SI 460

						Maximum Load	Cold Inflation Pressure	
Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Single	Single	
						(Kgs)	(PSI)	(Kpa)
400/60-15.5	Implement	14	400	875	20	2900	52	360



SI 486

						Maximum Load	Cold Inflation Pressure	
Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Single	Single	
						(Kgs)	(PSI)	(Kpa)
9.00-16	Tractor Trailer	18	253	912	18	2360	110	760



SI 485

						Maximum Load	Cold Inflation Pressure	
Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Single	Single	
						(Kgs)	(PSI)	(Kpa)
9.00-16	Tractor Trailer	18	253	912	18	2360	110	760



S.I.

Running to Lead...

STRIKING INTERNATIONAL

H.O. : SCO 1-2, Above PNB, G.T. Road, Sahnewal-141120, Punjab, INDIA

Tel. : +91 96463 34321 • Fax : +91 161 2847321

E-mail : dhand.gurender@live.com, info@alligatortyres.com

Website : www.alligatortyres.com