



ALLIGATOR

Tyres That Goes Miles & Smiles With You



Tyres That Goes Miles & Smiles With You

**MADE IN
INDIA**



**OTR | TRUCK & BUS | LCV | FORKLIFT | IMPLEMENT | TRACTOR | TWO-THREE WHEELER
BIAS/NYLON TYRES**

COMPLETE RANGE OF BUTYL TUBES

OUR COMPANY

Striking International is one of the leading manufacturers and exporters of a wide range of Tyres & Tubes under the brand name "**ALLIGATOR**" and "**MILLER**". Under the leadership of Mr. Gurender Dhand & Mr. Narinder Kumar (Company Directors), the group is expanding with a steady and stable annual growth rate Year after Year. Furthermore, its products and services have won accolades from the patrons in markets of South-Central America, Mediterranean Europe, Middle-East, East Asia & AFRICA and other parts of world.

Striking International continually expands its production base and now offers a comprehensive product range exceeding 900 SKUs. Our products are sold in more than 73 countries across the globe. Our unwavering passion has solidified our reputation as a leading manufacturer and exporter of agricultural, industrial, Commercial, 2 & 3 Wheeler, and off-road tires (Complete Range of BIAS & NYLON Tyres). Striking International is Manufacturing Premium Quality Butyl Tubes for Complete Range also.



STRIKING Group tire manufacturing facilities are located in Gujarat, Ghaziabad & Ludhiana equipped with state-of-the-art machinery operated by highly qualified personnel. In line with our philosophy, we believe in placing the right people in the right positions to implement world-class production techniques, resulting in the production of high-quality products. Today, ALLIGATOR Brand is recognized as one the leading Manufacturer & Exporter from India.

As our manufacturing facilities maintain the highest Quality standards, with strict in time control checks along with ensuring superior quality Products for our valuable Clients across 5 continents. Striking Group is equipped with all the tires ranges are in-compliance to various quality standards viz. CCC, ISO, E-MARK, DOT, SNI and SON.





POWER MAX

						Single			Dual		
Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Maximum Load (Kgs)	Inflation Pressure (psi)	Inflation Pressure (bar)	Maximum Load (Kgs)	Inflation Pressure (psi)	Inflation Pressure (bar)
12.00-20	OTR	20	319	153	22	4000	125	8.6	3450	115	7.9
12.00-24	OTR	20	320	1246	21.9	4500	125	8.6	3875	115	7.9



SAND RIDER

						Single			Dual		
Tyre Size	Application	Ply Rating	Section Width (mm)	Overall Dia. (mm)	Non Skid Depth (mm)	Maximum Load (Kgs)	Inflation Pressure (psi)	Inflation Pressure (bar)	Maximum Load (Kgs)	Inflation Pressure (psi)	Inflation Pressure (bar)
9.00-15	OTR	6	254	845	10	975	75	5.2	975	75	5.2
9.00-16	OTR	8	245	880	10	975	75	5.2	975	75	5.2





S.I.

Running to Lead...

STRIKING INTERNATIONAL

H.O. : SCO 1-2, Above PNB, G.T. Road, Sahnewal-141120, Punjab, INDIA

Tel. : +91 96463 34321 • Fax : +91 161 2847321

E-mail : dhand.gurender@live.com, info@alligatortyres.com

Website : www.alligatortyres.com